

NEW Products - November 2018

7208SS



7245SS



7250SS



Stainless Steel Tank Cross - Cast - Import

Part No.	Overall Length Inches	Tapping Each Leg FxM	Tank Connection Tapping FxM	Female Tapping Top of Cross	Two Female Tappings on Side	List Price
7211SS	4	1 x 1 1/4	1 x 1 1/4	two - 3/4	1/4	\$ 67.53
7213SS	14	1 x 1 1/4	- x 1 1/4	two - 3/4	1/4	105.94
7208SS	11	3/4 x 1	- x 1	two - 1/2	1/4	71.56
7210SS	4 1/2	3/4 x 1	3/4 x 1	two - 1/2	1/4	49.06
7245SS*	11	3/4 x 1	- x 1	two - 1/2	1/4	75.94
7247SS*	14	1 x 1 1/4	- x 1 1/4	two - 3/4	1/4	111.56
7250SS	4	3/4 x 1	1" FTP Union/O ring	two - 1/2	1/4	63.91
7251SS	4	1 x 1 1/4	1 1/4" FTP Union/O ring	two - 3/4	1/4	79.66
7252SS	4 1/2	3/4 x 1	1" Female	two - 1/2	1/4	60.34
7253SS	4 1/2	1 x 1 1/4	1 1/4" Female	two - 3/4	1/4	82.03

*with Union

7208LF



7245LF



7250LF

Brass Tank Cross - Cast - Import

Part No.	Overall Length Inches	Tapping Each Leg FxM	Tank Connection Tapping FxM	Female Tapping Top of Cross	Two Female Tappings on Side	List Price
7203LF	11	3/4 x 1	- x 1	one - 1/2	1/4	\$ 40.13
7204LF	14	1 x 1 1/4	- x 1 1/4	two - 3/4	1/4	72.50
7207LF	14	3/4 x 1	- x 1	two - 1/2	1/4	51.56
7208LF	11	3/4 x 1	- x 1	two - 1/2	1/4	40.00
7210LF	4 1/2	3/4 x 1	3/4 x 1	two - 1/2	1/4	25.84
7245LF*	11	3/4 x 1	- x 1	two - 1/2	1/4	55.47
7247LF*	14	1 x 1 1/4	- x 1 1/4	two - 3/4	1/4	84.06
7250LF	4	3/4 x 1	1" FTP Union/O ring	two - 1/2	1/4	39.06
7251LF	4	1 x 1 1/4	1 1/4" FTP Union/O ring	two - 3/4	1/4	55.66

*with Union

Certified Lead Free



Bronze Tank Manifold - Cast - Import

Part No.	Tank Leg Length Inches	Tapping Each End F&M	Tank Connection Tappings In.	Female Tapping Front	Carton Quantity	List Price
7020	1	1 x 1 1/4	1" Female (two)	two 3/4, one. 1/4	12	\$ 50.31

Lead Free, not for sale in CA, LA, VT or MD

Stainless Steel and Bronze Pitless Adapter - Cast - Import



Part No.	Material	Size	Hole Size Required	Load Weight	List Price
1850SS	Stainless	1	15/8	6,000	\$ 87.34
1851SS	Stainless	1 1/4	2 1/8	6,000	135.16
1850LF	Bronze	1	15/8	800	87.34
1851LF	Bronze	1 1/4	2 1/8	2,000	135.16

- Buna-N O-Ring
- Vertical Position Indicator

Certified Lead Free

Steel - Zinc Plated
Male Adapter
with Hex



Part No.	Description	Number of Barbs	Carton Quantity	List Price
IMAS-2	1/2	6	25	\$ 1.72
IMAS-3	3/4	6	25	2.34
IMAS-4	1	6	25	3.09
IMAS-5-4	1 1/4 MIP x 1" Ins.	6	25	5.31
IMAS-5	1 1/4	6	25	4.38
IMAS-6	1 1/2	6	10	5.47
IMAS-8	2	7	10	8.60

Steel - Zinc Plated
Coupling



Part No.	Description	Number of Barbs	Carton Quantity	List Price
ICS-2	1/2	6	25	\$ 1.53
ICS-3	3/4	6	25	2.13
ICS-4	1	6	25	2.85
ICS-5	1 1/4	6	25	5.00
ICS-6	1 1/2	6	10	6.40
ICS-8	2	7	10	8.59

Cast Bronze
Male Adapter
with Hex



Bronze Part No.	Description	Number of Barbs	Carton Quantity	List Price
IMAB-2	1/2	6	25	\$ 6.88
IMAB-3	3/4	6	25	8.28
IMAB-3-4	3/4" MIP x 1" Ins.	6	25	11.25
IMAB-4-3	1" MIP x 3/4" Ins.	6	25	12.41
IMAB-4	1	8	25	13.59
IMAB-4L	1" Long	13	25	18.91
IMAB-4-5	1" MIP x 1 1/4" Ins.	7	25	16.72
IMAB-5-4	1 1/4" MIP x 1 Ins.	7	25	17.50
IMAB-5	1 1/4	6	25	17.19
IMAB-6	1 1/2	8	10	21.56
IMAB-8	2	8	10	36.25

Cast Bronze
Coupling
with Hex



Bronze Part No.	Description	Number of Barbs	Carton Quantity	List Price
ICB-2	1/2	6	25	\$ 7.19
ICB-3	3/4	6	25	4.34
ICB-3-4	3/4 x 1	6	25	13.13
ICB-4	1	5	25	14.06
ICB-5	1 1/4	5	25	20.31
ICB-6	1 1/2	8	10	24.84
ICB-7	2	8	10	34.37

304 Stainless Steel
Male Adapter



Stainless Steel Part No.	Description	Number of Barbs	Carton Quantity	List Price
IMASS-3	3/4" MIP X 3/4" Insert	6	25	\$ 7.59
IMASS-4	1" MIP X 1" Insert	6	25	10.63
IMASS-5	1 1/4" MIP X 1 1/4" Insert	6	25	13.13
IMASS-100	1" MIP X 1" Insert w/Hex	9	25	16.31
IMASS-1025	1 1/4" MIP X 1" Insert w/Hex	9	25	17.66
IMASS-125	1 1/4" MIP X 1 1/4" Insert w/Hex	9	25	18.97

304
Stainless Steel
Coupling



Stainless Steel Part No.	Description	Number of Barbs	Carton Quantity	List Price
ICSS-3	3/4" MIP X 3/4" Insert	6	25	\$ 8.28
ICSS-4	1" MIP X 1" Insert	6	25	11.28
ICSS-5	1 1/4" MIP X 1 1/4" Insert	6	25	13.34

Cast Bronze
Insert Tees



Bronze Part No.	Description	Number of Barbs	Carton Quantity	List Price
877	3/4" Ins. x 3/4" Ins. x 3/4" Ins.	5	10	\$ 15.31
878	1" Ins. x 1" Ins. x 1" Ins.	5	10	18.13
879	1 1/4" Ins. x 1 1/4" Ins. x 1 1/4" Ins.	6	10	39.22
880	3/4" Ins. x 3/4" Ins. x 3/4" MIP	5	10	16.16
881	1" Ins. x 1" Ins. x 3/4" MIP	6	10	21.19
882	1" Ins. x 1" Ins. x 1" MIP	4	10	22.59

Cast Bronze
Insert Elbows



Bronze Part No.	Description	Number of Barbs	Carton Quantity	List Price
872	3/4" MIP X 3/4" Insert	5	10	\$ 12.19
873	3/4" MIP X 1" Insert	5	10	14.53
874	3/4" Ins. x 3/4" Ins.	5	10	12.66
875	1" Ins. x 1" Ins.	5	10	16.88
876	1 1/4" Ins. x 1 1/4" Ins.	6	10	30.94




Dry Pressure Gauges

-Import

- Steel case.
- Glass face.
- No Lead Brass mount.
- Individually boxed.
- Custom dial available.

Part No.	Size Inches	Range	Connection	Carton Quantity	List Price
1311	2	0 - 15 lbs.	1/4 L.M.	100	\$ 6.40
1312	2	0 - 30 lbs.	1/4 L.M.	100	6.09
1313	2	0 - 60 lbs.	1/4 L.M.	100	6.09
1305	2	0 - 100 lbs.	1/4 L.M.	100	6.09
1307	2	0 - 100 lbs.	1/8 C.B.M.	100	8.28
1314	2	0 - 160 lbs.	1/4 L.M.	100	6.09
1306	2	0 - 200 lbs.	1/4 L.M.	100	6.09

Certified Lead Free.



Dry Pressure Gauges, Individually Blister Packed

-Import

- Steel case.
- Glass face.
- No Lead Brass mount.
- Custom dial available.

Part No.	Size Inches	Range	Connection	Carton Quantity	List Price
1308	2	0 - 100 lbs.	1/4 L.M.	100	\$ 6.88
1309	2	0 - 200 lbs.	1/4 L.M.	100	6.88
1310	2	0 - 100 lbs.	1/8 C.B.M.	50	8.59

Certified Lead Free.



2" Liquid Filled Pressure Gauges - Import

- Stainless Steel or Steel case.
- Glass face.
- No Lead Brass mount.
- Individually boxed.
- Custom dial available.

Part No.	Size In.	Case	Range	Connection	Carton Qty.	List Price
1330	2	S.S.	0 - 100 lbs.	1/4 L.M.	100	\$10.53
1331	2	S.S.	0 - 200 lbs.	1/4 L.M.	100	10.53
1332	2	Steel	0 - 100 lbs.	1/4 L.M.	100	9.53
1333	2	Steel	0 - 200 lbs.	1/4 L.M.	100	9.53

Certified Lead Free.



2 1/2" Liquid Filled Pressure Gauges - Import

- Stainless Steel case.
- Glass face.
- No Lead Brass mount.
- Individually boxed.
- Custom dial available.

Part No.	Size In.	Case	Range	Connection	Carton Qty.	List Price
1334	2 1/2	S.S.	0 - 60 lbs.	1/4 L.M.	50	\$ 13.69
1335	2 1/2	S.S.	0 - 100 lbs.	1/4 L.M.	50	13.06
1336	2 1/2	S.S.	0 - 160 lbs.	1/4 L.M.	50	13.69
1337	2 1/2	S.S.	0 - 200 lbs.	1/4 L.M.	50	13.06

Certified Lead Free.



Pressure Switch

- Import

- Individually Boxed.

Part No.	Pressure Connection IPS	Pressure Setting	Carton Qty.	List Price
1040	1/4	20 - 40	50	\$ 16.72
1041	1/4	30 - 50	50	16.72
1042	1/4	40 - 60	50	16.72

Lead Free, Not for sale in CA, LA, VT or MD

Pitcher Pump and Parts



-Import

- 25' Max. Suction Lift.
- Painted Cast Iron.
- Leather plunger cup.
- Individually boxed.

Certified Lead Free

Part No.	Description	List Price
1160	Complete Pump - 1 1/4" Pipe Connection	\$107.81
1161	Complete Plunger Assembly Incl. Leather	34.73
1162	Flat leather for Base Valve	8.04
1163	Weight & Screw for Flat Leather	5.14
1164	Pump Base with Bolts	25.34
1165	Pump Cylinder	34.47
1166	Pump Top with Set Screw	16.16
1167	Pump Handle with Bolts	21.96
1168	Flat Valve Leather and Weight	12.44
1169	Plunger Cup Leather	12.02



Heavy Duty Splicing Kits

- Black or Clear
- Individually packaged
- With crimp connectors.

Certified Lead Free


Solderless Crimp Connectors



Part No.	Wire Size	Tubes	Tube Size	Color	List Price
1371	10-12-14	3	.440" x 3"	Black	\$ 4.34
1372	10-12-14	4	.440" x 4"	Black	5.56
1373	8	3	.440" x 4"	Black	8.25
1374	8	4	.440" x 4"	Black	10.78
1375	6	3	.440" x 4"	Black	11.41
1379	6	4	.440" x 4"	Black	13.28
1380	10-12-14	3	.440" x 3"	Clear	4.47
1381	10-12-14	4	.440" x 3"	Clear	5.66
1382	8	3	.440" x 4"	Clear	8.25
1383	8	4	.440" x 4"	Clear	10.78
1384	6	3	.440" x 4"	Clear	11.41
1385	6	4	.440" x 4"	Clear	13.28

Part No.	Wire Size	Qty. Per Bag	List Price
1376	10-12-14	50	\$ 21.25
1377	8	10	11.66
1378	6	10	17.59

Universal Hydrant Boot



Part No.	Description	List Price
845	Includes 3 Stainless Steel Hose Clamps	\$ 56.25

- New installation no longer requires a person to be in the trench.
- Simply attach to the hydrant bottom to protect the valve from all sediment.
- Allows the hydrant to drain quickly and efficiently.
- Assembled, safely above ground, then lowered into the trench and backfilled without gravel.



900 Series Frost-Proof Yard Hydrant - Import

- 3/4" NPT Female Inlet
- 3/4" Male Hose Thread Outlet.
- Cast Iron Head and Handle with Blue Polyester Powder Coated Finish.
- Individually Boxed. • Maximum. Pressure 70 PSI.

Lead Free, Not for sale in CA, LA, VT or MD

Part No.	Bury Depth	List Price
900	1	\$ 107.81
902	2	114.06
903	3	120.31
904	4	129.69
905	5	139.06
906	6	148.44



Foot Valve

- Import

- Brass
- Working Pressure 200 psi.
- 190° Temperature Rating.

Certified Lead Free

Part No.	Size	List Price
7402	3/4	\$ 13.35
7403	1	19.69
7405	1 1/4	24.69
7406	1 1/2	35.94
7407	2	58.59



Check Valve

- Import

- Brass
- Working Pressure 200 psi.
- 190° Temperature Rating.

Certified Lead Free

Part No.	Size	List Price
7501	1/2	\$ 10.63
7502	3/4	14.38
7503	1	20.94
7504	1 1/4	30.00
7505	1 1/2	37.19
7506	2	67.25